

Incident	Incident Date	Alarm Time	Incident Type
20WEB-506-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/01/2020	2009	<b>Smoke scare, odor of smoke</b>
	Investigate		
	45 UPLAND AVE		
	Webster Engine 4		
20WEB-507-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b> <b>Apparatus:</b>	10/02/2020	1210	<b>Motor vehicle accident with no injuries.</b>
	Provide manpower		
	292 THOMPSON RD @ 1 POINT PLEASANT RD		
	Webster Car 1		
	Webster Engine 4		
20WEB-508-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/02/2020	1750	<b>Unauthorized burning</b>
	Investigate		
	12 PINEWOOD DR		
	Webster Engine 4		
20WEB-509-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/03/2020	1143	<b>Alarm system activation, no fire - unintentional</b>
	Investigate		
	1200 SCHOOL ST 1200 SCHOOL ST		
	Webster Engine 4		
20WEB-510-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/03/2020	1409	<b>Passenger vehicle fire</b>
	Extinguishment by fire service personnel		
	INTERSTATE 395 NORTH HWY		
	Webster Engine 4		
20WEB-511-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/03/2020	1520	<b>Alarm system sounded due to malfunction</b>
	Information, investigation & enforcement, other		
	18 FOSTER ST 18 FOSTER ST		
	Webster Engine 4		
20WEB-512-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/03/2020	2151	<b>Alarm system activation, no fire - unintentional</b>
	Restore fire alarm system		
	310 THOMPSON RD LAKEWOOD TERRACE BLDG 5		
	Webster Engine 4		
20WEB-513-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/03/2020	1907	<b>Motor vehicle accident with injuries</b>
	Incident command		
	1 SUTTON RD @ 9 GORE RD		
	Webster Engine 4		
20WEB-514-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b> <b>Apparatus:</b> <b>Apparatus:</b> <b>Apparatus:</b> <b>Apparatus:</b> <b>Apparatus:</b>	10/05/2020	1351	<b>Building fire</b>
	Extinguishment by fire service personnel		
	17 BRODEUR AVE 17 BRODEUR AVE		
	Webster Car 1		
	Webster Car 2		
	Webster Engine 3		
	Webster Engine 4		
	Webster Rescue 1		
	Webster Tower 1		
20WEB-515-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/07/2020	1747	<b>Arcing, shorted electrical equipment</b>
	Investigate		
	26 LAKE PKWY		
	Webster Engine 4		
20WEB-516-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/07/2020	1757	<b>Arcing, shorted electrical equipment</b>
	Investigate		
	26 LAKE PKWY		
	Webster Engine 4		

Incident	Incident Date	Alarm Time	Incident Type
<b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b> <b>Apparatus:</b>	Investigate 33 LOVELAND RD 33 LOVELAND RD Webster Car 1 Webster Engine 4		
<b>20WEB-517-IN</b> <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/07/2020 1821 Standby HIGH ST EXT Webster Engine 1		<b>Arcing, shorted electrical equipment</b>
<b>20WEB-518-IN</b> <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b> <b>Apparatus:</b>	10/07/2020 1747 Investigate 170 SCHOOL ST WEBSTER FIRE DEPARTMENT-STATION 2 Webster Car 1 Webster Engine 4		<b>Wind storm, tornado/hurricane assessment</b>
<b>20WEB-519-IN</b> <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/07/2020 1938 Investigate 2 HILL ST 2 HILL ST Webster Engine 4		<b>Carbon monoxide detector activation, no CO</b>
<b>20WEB-523-IN</b> <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b> <b>Apparatus:</b>	10/07/2020 1804 Investigate 4 VINE ST 4 VINE ST Webster Car 1 Webster Engine 4		<b>Wind storm, tornado/hurricane assessment</b>
<b>20WEB-520-IN</b> <b>1st Action:</b> <b>Location:</b>	10/08/2020 0911 16 APPLEBEE AVE 16 APPLEBEE AVE		
<b>20WEB-521-IN</b> <b>1st Action:</b> <b>Location:</b>	10/08/2020 1020 23 GENEVIEVE LN		
<b>20WEB-522-IN</b> <b>1st Action:</b> <b>Location:</b>	10/08/2020 1046 45 WAWELA PK RD		
<b>20WEB-524-IN</b> <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/09/2020 2329 Investigate 11 STEFANIAK AVE Webster Engine 4		<b>Smoke scare, odor of smoke</b>
<b>20WEB-525-IN</b> <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/10/2020 1259 Extinguishment by fire service personnel 184 LOWER GORE RD 184 LOWER GORE RD Webster Engine 4		<b>Brush or brush-and-grass mixture fire</b>
<b>20WEB-526-IN</b> <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/10/2020 1902 Investigate 73 CUSHING RD 73 CUSHING RD Webster Forestry 1		<b>Citizen complaint</b>
<b>20WEB-527-IN</b> <b>1st Action:</b> <b>Location:</b>	10/10/2020 2040 Action taken, other 2 INTERSTATE 395 RAMPS I-395 EXIT 2 ON-RAMP NORTH		<b>Motor vehicle accident with injuries</b>

Incident	Incident Date	Alarm Time	Incident Type
<b>Apparatus:</b>	Webster Car 2		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-528-IN</b>	10/11/2020	1007	<b>Smoke scare, odor of smoke</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	17 ELAINE ST		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-529-IN</b>	10/11/2020	1917	<b>Passenger vehicle fire</b>
<b>1st Action:</b>	Extinguishment by fire service personnel		
<b>Location:</b>	INTERSTATE 395 NORTH HWY I-395 NORTH: EXIT 2 -> EXIT 3 (MM 2.6 - 4.4)		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-530-IN</b>	10/11/2020	2037	<b>Alarm system activation, no fire - unintentional</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	6 GOLDEN HTS 6 GOLDEN HTS		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-531-IN</b>	10/12/2020	1624	<b>Alarm system activation, no fire - unintentional</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	141 N MAIN ST 141 N MAIN ST		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-532-IN</b>	10/13/2020	0027	<b>EMS call, party transported by non-fire agency</b>
<b>1st Action:</b>	Emergency medical services, other		
<b>Location:</b>	140 LOWER GORE RD 140 LOWER GORE RD		
<b>Apparatus:</b>	Webster Engine 1		
<b>20WEB-533-IN</b>	10/13/2020	1034	<b>Good intent call, other</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	4 HIGHCREST PARK		
<b>Apparatus:</b>	Webster Engine 4		
<b>Apparatus:</b>	Webster Utility 2		
<b>20WEB-534-IN</b>	10/13/2020	1534	<b>Alarm system activation, no fire - unintentional</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	8 VILLAGE WAY 8 VILLAGE WAY		
<b>20WEB-535-IN</b>	10/13/2020	1556	
<b>1st Action:</b>			
<b>Location:</b>	1001 TREASURE ISLAND RD 1001 TREASURE ISLAND RD		
<b>20WEB-536-IN</b>	10/13/2020	1600	<b>Alarm system activation, no fire - unintentional</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	20 VILLAGE WAY 20 VILLAGE WAY		
<b>20WEB-537-IN</b>	10/13/2020	1846	
<b>1st Action:</b>			
<b>Location:</b>	310 THOMPSON RD LAKEWOOD TERRACE BLDG 5		
<b>20WEB-538-IN</b>	10/13/2020	2257	
<b>1st Action:</b>			
<b>Location:</b>	68 LAKE ST		
<b>20WEB-539-IN</b>	10/14/2020	0158	<b>Carbon monoxide incident</b>
<b>1st Action:</b>	Ventilate		
<b>Location:</b>	75 BIRCH ISLAND RD COVE MARINA		

Incident	Incident Date	Alarm Time	Incident Type
<b>Apparatus:</b>	Webster Engine 1		
<b>20WEB-540-IN</b>	10/14/2020	0850	<b>Smoke or odor removal</b>
<b>1st Action:</b>	Provide equipment		
<b>Location:</b>	275 MAIN ST HOLDEN BLOCK		
<b>Apparatus:</b>	Webster Car 1		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-541-IN</b>	10/14/2020	2040	<b>Public service assistance, other</b>
<b>1st Action:</b>	Assistance, other		
<b>Location:</b>	116 E MAIN ST BIG LOTS		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-542-IN</b>	10/15/2020	0302	<b>EMS call, party transported by non-fire agency</b>
<b>1st Action:</b>	Emergency medical services, other		
<b>Location:</b>	36 HIGHCREST PARK 36 HIGHCREST PARK, WEBSTER		
<b>Apparatus:</b>	Webster Engine 1		
<b>20WEB-543-IN</b>	10/15/2020	0731	<b>Cover assignment, standby, moveup</b>
<b>1st Action:</b>	Standby		
<b>Location:</b>	217 DENNISON LN		
<b>Apparatus:</b>	Webster Tower 1		
<b>20WEB-544-IN</b>	10/15/2020	1547	<b>Motor vehicle accident with injuries</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	80 E MAIN ST RITE AID		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-545-IN</b>	10/15/2020	1748	<b>Motor vehicle accident with injuries</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	2 WORCESTER RD PRICE CHOPPER		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-546-IN</b>	10/17/2020	0340	<b>Alarm system sounded due to malfunction</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	10 HARRYS WAY CEPPELELLI CONSTRUCTION		
<b>Apparatus:</b>	Webster Engine 1		
<b>20WEB-547-IN</b>	10/17/2020	0712	<b>Alarm system sounded due to malfunction</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	10 HARRYS WAY CEPPELELLI CONSTRUCTION		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-548-IN</b>	10/18/2020	1245	<b>Smoke scare, odor of smoke</b>
<b>1st Action:</b>	Information, investigation & enforcement, other		
<b>Location:</b>	15 ALDRICH ST GOLDEN LIFE HOME CARE INC		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-549-IN</b>	10/19/2020	1704	<b>Dumpster or other outside trash receptacle fire</b>
<b>1st Action:</b>	Extinguishment by fire service personnel		
<b>Location:</b>	52 LAKE PKWY BARTLETT HIGH SCHOOL		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-550-IN</b>	10/19/2020	2048	<b>Building fire</b>
<b>1st Action:</b>	Fill-in, standby, other		
<b>Location:</b>	23 WHITTEMORE AVE		
<b>Apparatus:</b>	Webster Engine 3		

Incident	Incident Date	Alarm Time	Incident Type
20WEB-551-IN <b>1st Action:</b> <b>Location:</b>	10/20/2020 Provide equipment 1015 SCHOOL ST @ 1 GRENIER AVE	1513	<b>Motor vehicle accident with no injuries.</b>
20WEB-552-IN <b>1st Action:</b> <b>Location:</b>	10/20/2020 Provide equipment 40 MYRTLE AVE @ 25 ELM ST	1733	<b>Motor vehicle accident with no injuries.</b>
20WEB-553-IN <b>1st Action:</b> <b>Location:</b>	10/20/2020 Investigate 10 GOLDEN HTS WEBSTER HOUSING AUTHORITY	1737	<b>Smoke detector activation, no fire - unintentional</b>
20WEB-554-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/20/2020 Investigate 58 CAMILE RD 58 CAMILE RD Webster Engine 4	1803	<b>Carbon monoxide detector activation, no CO</b>
20WEB-555-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/21/2020 Remove hazard INTERSTATE 395 NORTH HWY I-395 NORTH: CT LINE -> EXIT 1 (MM 0.0 - 1.0) Webster Engine 1	0005	<b>Motor vehicle accident with no injuries.</b>
20WEB-556-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/21/2020 Extinguishment by fire service personnel BONNETTE PL Webster Engine 4	1519	<b>Brush or brush-and-grass mixture fire</b>
20WEB-557-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/21/2020 Investigate 43 PROSPECT ST 43 PROSPECT ST Webster Engine 4	1649	<b>Unauthorized burning</b>
20WEB-558-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b> <b>Apparatus:</b>	10/21/2020 Provide manpower 535 SCHOOL ST 535 SCHOOL ST Webster Car 3 Webster Engine 4	1814	<b>Emergency medical service incident, other</b>
20WEB-559-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b>	10/22/2020 Investigate 41 PROSPECT ST PROSPECT ESTATES 2 (ROCK CASTLE) Webster Engine 4	0548	<b>Carbon monoxide detector activation, no CO</b>
20WEB-560-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b> <b>Apparatus:</b>	10/22/2020 Investigate 60 LAKE ST 60 LAKE ST Webster Car 1 Webster Engine 4	1242	<b>Gas leak (natural gas or LPG)</b>
20WEB-561-IN <b>1st Action:</b> <b>Location:</b> <b>Apparatus:</b> <b>Apparatus:</b>	10/22/2020 Investigate 32 MARKET ST Webster Car 1 Webster Engine 4	1315	<b>Smoke detector activation due to malfunction</b>
20WEB-562-IN	10/22/2020	1452	<b>Hazardous condition, Other</b>

Incident	Incident Date	Alarm Time	Incident Type
<b>1st Action:</b>	Investigate		
<b>Location:</b>	46 PROSPECT ST 46 PROSPECT ST		
<b>Apparatus:</b>	Webster Car 1		
<b>Apparatus:</b>	Webster Engine 4		
20WEB-563-IN	10/23/2020	1750	<b>Smoke scare, odor of smoke</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	31 EMERALD AVE		
<b>Apparatus:</b>	Webster Engine 4		
20WEB-564-IN	10/24/2020	1056	<b>Gas leak (natural gas or LPG)</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	46 PROSPECT ST 46 PROSPECT ST		
<b>Apparatus:</b>	Webster Engine 4		
20WEB-565-IN	10/24/2020	1207	<b>Citizen complaint</b>
<b>1st Action:</b>	Information, investigation & enforcement, other		
<b>Location:</b>	35 EMERALD AVE		
<b>Apparatus:</b>	Webster Engine 4		
20WEB-566-IN	10/24/2020	1336	<b>Motor vehicle accident with injuries</b>
<b>1st Action:</b>	Remove hazard		
<b>Location:</b>	2 WORCESTER RD PRICE CHOPPER		
<b>Apparatus:</b>	Webster Engine 4		
20WEB-567-IN	10/24/2020	1733	<b>Carbon monoxide incident</b>
<b>1st Action:</b>	Remove hazard		
<b>Location:</b>	7 POINT PLEASANT AVE 7 POINT PLEASANT AVE		
<b>Apparatus:</b>	Webster Engine 4		
20WEB-568-IN	10/24/2020	2220	<b>Citizen complaint</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	18 BRODEUR AVE 18 BRODEUR AVE		
<b>Apparatus:</b>	Webster Engine 4		
20WEB-569-IN	10/25/2020	1545	<b>Dumpster or other outside trash receptacle fire</b>
<b>1st Action:</b>	Extinguishment by fire service personnel		
<b>Location:</b>	78 POLAND ST BARTLETT HIGH SCHOOL STUDENT PARKING LOT		
<b>Apparatus:</b>	Webster Engine 4		
20WEB-570-IN	10/25/2020	1554	
<b>1st Action:</b>			
<b>Location:</b>	29 WEST AVE		
20WEB-571-IN	10/26/2020	0025	<b>Alarm system activation, no fire - unintentional</b>
<b>1st Action:</b>	Restore fire alarm system		
<b>Location:</b>	123 E MAIN ST WENDY'S HAMBURGERS		
<b>Apparatus:</b>	Webster Engine 3		
20WEB-572-IN	10/26/2020	0701	<b>Alarm system sounded due to malfunction</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	10 HARRYS WAY CEPPETELLI CONSTRUCTION		
<b>Apparatus:</b>	Webster Engine 4		
20WEB-573-IN	10/26/2020	1415	<b>Building fire</b>
<b>1st Action:</b>	Provide apparatus		
<b>Location:</b>	107 PINE ST		

Incident	Incident Date	Alarm Time	Incident Type
<b>Apparatus:</b>	Webster Tower 1		
<b>20WEB-574-IN</b>	10/29/2020	0849	<b>Carbon monoxide detector activation, no CO</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	26 RAWSON RD 26 RAWSON RD		
<b>Apparatus:</b>	Webster Car 1		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-575-IN</b>	10/29/2020	0951	<b>Carbon monoxide incident</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	30 FREEMAN AVE		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-576-IN</b>	10/29/2020	1015	<b>Carbon monoxide detector activation, no CO</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	4 WALL ST 4 WALL		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-577-IN</b>	10/29/2020	1430	<b>Motor vehicle accident with no injuries.</b>
<b>1st Action:</b>	Standby		
<b>Location:</b>	11 GORE RD @ 2 INTERSTATE 395 RAMPS		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-578-IN</b>	10/31/2020	0932	<b>Motor vehicle accident with no injuries.</b>
<b>1st Action:</b>	Establish safe area		
<b>Location:</b>	INTERSTATE 395 SOUTH HWY		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-579-IN</b>	10/31/2020	1014	<b>Alarm system activation, no fire - unintentional</b>
<b>1st Action:</b>	Investigate		
<b>Location:</b>	310 THOMPSON RD LAKEWOOD TERRACE BLDG 5		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-580-IN</b>	10/31/2020	1039	<b>Carbon monoxide incident</b>
<b>1st Action:</b>	Establish safe area		
<b>Location:</b>	52 HARTLEY ST HARTLEY TERRACE BUILDING B		
<b>Apparatus:</b>	Webster Engine 4		
<b>20WEB-581-IN</b>	10/31/2020	1155	<b>Alarm system sounded due to malfunction</b>
<b>1st Action:</b>	Notify other agencies.		
<b>Location:</b>	52 HARTLEY ST HARTLEY TERRACE BUILDING B		
<b>Apparatus:</b>	Webster Engine 4		